



File Name: Dsc-S730 Sony Manual.pdf

Size: 4803 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 18 May 2019, 23:25 PM

Rating: 4.6/5 from 827 votes.

Status: AVAILABLE

Last checked: 16 Minutes ago!

In order to read or download Dsc-S730 Sony Manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Dsc-S730 Sony Manual . To get started finding Dsc-S730 Sony Manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

Dsc-S730 Sony Manual

Sony news in your inbox. Download our apps. Support Support Self Support Contact Support Community Register a Product Sign In Favorites Sony Rewards Electronics Registration Electronics Community Favorites Favorites Search Sony Sony Sites Search Sony To get the full experience on Sony.com, please change your settings to allow JavaScript. We recommend downloading and installing the latest version of one of the following browsers Our site is not optimized for your current browser. A newer version of your browser may be available Chrome Chrome Download the latest version IE Internet Explorer Download the latest version Firefox Firefox Download the latest version Apple Safari Download the latest version Proceed with current browser for now Proceed with current browser for now. Cybershot DSCS730 Digital Camera pdf manual download. View and Download Sony Cybershot DSCS730 handbook online. Digital Still Camera. This model is. Serial Number Location On the bottom of the camera. Request ECCN for Sony Cybershot DSC HX400V. Sony Cybershot DSCF717. Sony DSCS730 review, find out how the DSCS730 stacks up against the competition in our realworld review.Reload to refresh your session. Reload to refresh your session. To get the full experience on Sony.co.uk, please change your settings to allow JavaScript. Frequently Asked Questions for PlayMemories Home View All Just bookmark your product on the app! How to Set Language, Add Date Expand Can the date be recorded on an image. How to change the language in the settings of the camera. Import Photos and Videos to a Windows Computer Using PlayMemories Home Import Photos and Videos to a Macintosh Mac Computer Using PlayMemories Home Battery Frequently Asked Questions Expand The power does not turn ON even if the battery pack or AC adapter is attached. The battery does not charge. Lens and accessory compatibility for cameras and camcorders The battery drains quickly. The battery or camera becomes hot or very warm to the touch.<http://www.aparto.ru/temp/images/cushman-truckster-owners-manual.xml>

- **sony dsc s730 manual, sony cyber shot dsc s730 manual, dsc-s730 sony manual, dsc-s730 sony manual download, dsc-s730 sony manual pdf, dsc-s730 sony manuals, dsc-s730 sony manual free, sony dsc-s730 manual.**

Is the battery pack always charging while the camera is connected to a computer or the supplied AC adaptor via a USB cable. Watch Out for Counterfeit Products View All Find information and receive instant notifications about your product. Replace only with part number specified. Check the entire board surface for solder splashes and bridges. Point them out to the customer and recommend their replacement. Point them out to the customer and recommend their replacement. Do not touch the soldering iron on the same conductor of the circuit board within 3 times. Be careful not to apply force on the conductor when soldering or unsoldering. Ordinary soldering irons can be used but the iron tip has to be applied to the solder joint for a slightly longer time. Soldering irons using a temperature regulator should be set to about 350 C. Caution The printed pattern copper foil may peel away if the heated tip is applied for too long, so be careful. Strong viscosity Unleaded solder is more viscous sticky, less prone to flow than ordinary solder so use caution not to let solder bridges occur such as on IC pins, etc. Usable with ordinary solder It is best to use only unleaded solder but unleaded solder may also be added to ordinary solder. Replace only with the same or equivalent type. See compatible TVs Support Support Support My Sony Community Stay informed with a Sony account to get news, offers and promotions. Sign up now Hi My Sony Sign in Favourites My Products Register a new product My Account Details Newsletter Preferences Community Favourites Sign out Favourites Search Sony Sony Sites Search Sony To get the full experience on Sony.co.uk, please change your settings to allow JavaScript. PlayMemories Home Expand What is PlayMemories

Home. Frequently Asked Questions for PlayMemories Home How do I import or transfer photos and videos to a computer with PlayMemories

Home. <http://www.klostercompany.com/userfiles/cushman-truckster-manual-free.xml>

How do I install the PlayMemories Home software View All Find information and receive instant notifications about your product We recommend downloading and installing the latest version of one of the following browsers Our site is not optimized for your current browser. Sign up Entertainment made easy Access great movies, music and apps from your TV. Find out more PlayStation Entertainment Entertainment PlayStation Store PlayStation Video PlayStation Music PlayMemories Spark your imagination and discover new ways to enjoy your photos. Explore the apps Support Support Self Support Contact Support Community Register a Product Sign In Favourites My Registered Products Community Favourites Favourites Search Sony Sony Sites Search Sony To get the full experience on Sony.co.uk, please change your settings to allow JavaScript. Download the app today! What are the different Speed Class ratings for SD, SDHC, and SDXC memory cards. The Parameter is Incorrect. An error code beginning with C32 is displayed in the LCD screen or viewfinder. Error C13xx appears on the LCD or viewfinder. The Battery Doesn't Charge View All We recommend downloading and installing the latest version of one of the following browsers Our site is not optimized for your current browser. Sign up now Hi My Sony Sign in Favourites My Products Register a new product My Account Details Newsletter Preferences Community Favourites Sign out Favourites Search Sony Sony Sites Search Sony To get the full experience on Sonylatvija.com, please change your settings to allow JavaScript. Frequently Asked Questions for PlayMemories Home How do I import or transfer photos and videos to a computer with PlayMemories Home. How do I install the PlayMemories Home software View All We recommend downloading and installing the latest version of one of the following browsers Our site is not optimized for your current browser.

Explore the apps Support Hi My Sony Sign in Favourites Account Information Orders My Sony "Sonnion" Redemption Register A New Product My Sony "Sonnion" Loyalty Programme Favourites Sign out Favourites Shopping Cart Search Sony Sony Sites Search Sony To get the full experience on Sony.com, please change your settings to allow JavaScript. How to transfer pictures and videos from a camera to a computer or mobile device. View All Just bookmark your product on the app! How to Set Language, Add Date Expand Can the date be recorded on an image. Watch Out for Counterfeit Products View All Find information and receive instant notifications about your product We recommend downloading and installing the latest version of one of the following browsers Our site is not optimized for your current browser. The camera includes 22MB of internal memory so that you can shoot pictures and video clips with your camera right away. You can also purchase an optional Memory Stick Duo media card in capacities up to 4GB to expand your shooting capability. Even if you're new to digital photography, the CyberShot DSCS730 guides you with a handy display of functions like flash, macro and self-timer settings. There's also onscreen advice to help you select the right setting for your chosen subject with the Shooting Mode dial. It has a 3x optical zoom lens and high sensitivity ISO 1250 that helps reduce blur when shooting indoors or at twilight, even without using the flash. The camera includes 22MB of internal memory so that you can shoot pictures and video clips with your camera right away. High Sensitivity Mode For sharp, flash-free photos without blur, the high sensitivity mode ISO 1250 allows shooting at higher shutter speeds for better pictures in lowlight conditions great for birthday parties, indoor gatherings, and candid portraits. Burst Mode Fire off three shots automatically at approximately 1second intervals VGA standard mode or 2second intervals full resolution mode.

<http://www.jfvtransports.com/home/content/electrolux-refrigerator-ew26ss65gs0-manual>

Convenient Photo Modes To adjust quickly for specific shooting situations, the DSCS730 includes several convenient photo modes to choose from including Auto, Program Auto, and Scene Selections

for Twilight, Portrait, Landscape, and other shooting environments. **Function Guide** The beginnerfriendly function guide helps manage various functions and settings by displaying the description of chosen functions or settings on the LCD screen. The Function Guide can also be switched off. **Internal and Expandable Memory** The DSCS730 includes 22MB of builtin memory, so you can start shooting right away. A builtin slot accepts optional Memory Stick Duo media or Memory Stick PRO Duo media with which you can expand the camera memory to over 4GB and store hundreds of high resolution images. **Picture Motion Browser Software** Supplied software makes it easier to upload, organize, and search photos on your PC. When shooting photos using your camera and an optional GPS unit, the software even provides a convenient map view function that lets you sort photos by location and display their origin on a world map. **Simple Setup Controls** A quick press of the Home button opens your userfriendly graphical interface, then select functions by simply moving a cursor vertically or horizontally to the appropriate icon. Intuitive function names and the onscreen Function Guide display make it easier to learn camera setup operations. **Stamina Battery Power** The camera can capture up to 100 shots with standard AA alkaline batteries, and can capture up to 460 shots with optional NiMH rechargeable batteries. Let us know **YOUR RECENTLY VIEWED ITEMS** Browsing History ON Clear History Not responsible for typographical or illustrative errors. Youll find the answers to all your questions on the SONY CYB user manual information, specifications, safety advice, size, accessories, etc. **User s Guide.**

User manual SONY CYBER SHOT DSC S730 User guide SONY CYBER SHOT DSC S730 Operating instructions SONY CYBER SHOT DSC S730 Instructions for use SONY CYBER SHOT DSC S730 Instruction manual SONY CYBER SHOT DSC S730 Your user manual SONY CYBER SHOT DSC S730 Page 2 Manual abstract 41 Folder Selec Thank you, for helping us keep this platform clean. The editors will have a look at it as soon as possible. To get the full experience on Sony.co.uk, please change your settings to allow JavaScript. Where can I find out if a firmware update is available for my camera or camcorder. **NOTES** Other related information and downloads for Mac OS computers are available. If you do not want to use How to photograph fireworks with Cybershot Using the Fireworks scene selection allows you to automatically shoot at settings best for photographing fireworks. With cameras that allow manual shooting, changing shutter speed and other settings allows you to Shooting landscapes and flowers with Cybershot This introduces techniques for taking shots of nature scenes such as spring greenery, autumn leaves, and flowers. **Camera settings** Switch the SteadyShot setting to On. **NOTE** When using a tripod, switch the setting Shooting night scenes or decorative lighting with Cybershot This introduces techniques for taking beautiful shots of night scenes. Night scenes may include streets light by streetlamps and gorgeous bright lighting. Follow the hints below to capture photographs of beautiful The builtin flash does not function. The following are possible causes. Try a solution according to the circumstances. If the flash setting is Off If set to Off, the flash will not work evben if dark. Change the flash setting to On, and then see if How to disable the All Sync feature of PlayMemories Online. The All Sync feature automatically uploads images registered in PlayMemories Home directly to PlayMemories Online. Follow the steps below to turn off this feature.

IMPORTANT Sign in to your PlayMemories Online The lens is stuck and will not open, retract, or extend. Try the following **IMPORTANT** Turn the power off, then on message may appear if the camera detects an excessive stress, dust, or debris on the lens. If this occurs, turn the power of the camera off and then back The camera turns off by itself after I transfer images to the computer with the PlayMemories Home software. If you want the camera to remain on after image transfer Dirt will not come off the LCD screen. If the LCD screen becomes very dirty, wipe lightly with a soft cloth dampened with cold or warm water, and then wipe dry. Note Using chemical substances such as thinner, benzine, alcohol, chemical wipes, insect White, round glare spots or orbs sometimes appear in a recorded image when using the flash. If there are specs of dust particles floating in the air, they

can be illuminated by the strong light of the flash and sometimes appear in a recorded image as white, round glare spots aka orbs. This symptom tends Load More How to Set Language, Add Date Can the date be recorded on an image. Import Photos and Videos to a Windows Computer Using PlayMemories Home Import Photos and Videos to a Macintosh Mac Computer Using PlayMemories Home Battery Frequently Asked Questions The power does not turn ON even if the battery pack or AC adapter is attached. Watch Out for Counterfeit Products Find information and receive instant notifications about your product. Please do not offer the downloaded file for sell only use it for personal usage. Looking for other manual For this no need registration. May be help you to repair. You could suffer a fatal electrical shock. Instead, contact your nearest service center. Note! To open downloaded files you need acrobat reader or similar pdf reader program. In addition, Also some files are djvu so you need djvu viewer to open them.

These free programs can be found on this page needed progs If you use opera you have to disable opera turbo function to download file. If you cannot download this file, try it with CHROME or FIREFOX browser. Translate this page Relevant STILL CAMERA forum topics sony dcr hc23e szamitogepre rogziteskor nem irja ki a datumot es idot Udvozlet! A videokamera miniDV szalagos, es amikor rogzitek es visszajaszok magan a kameran es az analog kimeneten lathato az adatkodolas, marmint a felvetel datuma es ideje, viszont amikor ramasolom firevire kabellel es kartyaval szamitogepre, nem tudom sehogy megjelteni! ez a tipikus datum ido megjelentes ami a klasszikus kamerafelveteleken lathato Mar 3x ragasztottam meg a kazettat. Udv Gabee. SONY CCD TRV238E CONTROL KEY BLOCK Hello everybody, Sony CCD TRV238E camcorder has two issues, first, a wire in the harness PD124 is almost cut, which causes bad contact in the LCD panel, Ive tried to used a sort of glue to fix it but without success, soldering the two parts is almost impossible see picture, the area is too tight. Second, when the connexion for standard flexible are cut it is possible to scratch the two parts and connect them with extension wire and welding, but in the case of the CONTROL KEY BLOCKs flexible which is used to connect the CONTROL KEY BLOCK to the mainboard, connexions are not made of copper! carbon maybe, trying to polish will destroy them!, actually, they are worn out see picture. Because these spare parts are no longer available in my country, please I need your advice to fix harness and CONTROL KEY BLOCKs flexible. Sony DSCP9, total halott. Megoldva Sziasztok. Googlizva mit nem talalok elektrotanyan a SMt. Igaz kezdhettem volna egyenesen itt. Ha mar van kotta, akkor turizzunk is egy kicsit benne. Hat nem egy, de ketto F003 es F004. No, akkor drotozzuk ossze, mert semmi mas eselyem ilyen aprokakat kicserelni, nincs is mivel, es hely sincs odanyulni, meg nagyitok alatt is alig lattam a picinyeket.

Izgalomtól reszketo kezzel valahogy odaforrasztottam hajszalvekony drotot; nezzetek el nekem ezt a barbarsagot, es a gep eletre kelt, be lehetett allitani dolgokat, fenykepeztem is vele. Hogy mitol szakadhattak meg a biztositekok, nem tudom, majd eldol, hogy vane egyeb baja is; akksi gyanusnak tunik; de eddig remekul mukodik. Csaba You can write in English language into the forum not only in Hungarian. To get the full experience on Sony.co.uk, please change your settings to allow JavaScript. How to transfer pictures and videos from a camera to a computer or mobile device. View All Find information and receive instant notifications about your product. Currently available only for selected countries. Sign up now Hi My Sony Sign in Favourites My Products Register a new product My Account Details Newsletter Preferences Community Favourites Sign out Favourites Search Sony Sony Sites Search Sony To get the full experience on Sony.ie, please change your settings to allow JavaScript. PlayMemories Home Expand What is PlayMemories Home. The main differences are a redesigned body, plus the fact that the DSCS730 now has multipoint AF rather than the singlepoint employed in the previous model, and the maximum sensitivity has been bumped from ISO 1000 to ISO 1250 equivalent from the same size and resolution of image sensor. The advanced Sony Super HAD Hole Accumulated Diode CCD design allows more light to pass to each pixel, increasing sensitivity and reducing noise. The Function Guide can also be switched off. When shooting photos using your camera and an optional GPS unit, the software even provides a

convenient map view function that lets you sort photos by location and display their origin on a world map. Function names and the onscreen Function Guide display make it easier to learn camera setup operations. [SonyHead over here.](#)

For details on the operation 1 page 30
Selects the metering mode that sets which part of the subject to measure to determine the Spot Spot metering Spot metering cross hairs. Positions on the subject Measures the center of the image, and determines the Multi Multipattern Divides into multiple regions and measures each region. The For details on the operation 1 page 30. WB White Bal Adjusting the color tones. Adjusts the color tones according to the lighting condition in a situation, for example, when Flash WB . Adjusts for the flash conditions. Adjusts for places under an incandescent lamp, or under Cloudy . Using the menu. Incandescent n. Adjusts for fluorescent lighting. Adjusts for a cloudy sky or shaded area. For details on the operation 1 page 30 Auto. Adjusts for conditions outside under a clear sky, at sundown, Adjusts the White Balance automatically. ISO Selecting a luminous sensitivity. Small number. Large number The larger the number, the higher the Select an ISO sensitivity For details on the operation 1 page 30. P. Quality. Mode REC Mode Selecting the continuous shooting method. Selects whether the camera performs continuous shooting or not when you press the shutter button. Burst . Records the maximum number of images in succession refer Does not shoot continuously. The maximum number of continuous shots Size. Maximum continuous shots Using the menu For details on the operation 1 page 30 Adjusts the amount of flash light. Normal Adjusts the sharpness of the image. Normal See page 48. For details on the operation 1 page 30. The default settings are marked with Selects the folder containing the image you want to play back when using the camera with Cancel. Cancels the selection. Using the menu The camera stores images in a specified folder of a "Memory Stick Duo". You can change the folder or For details on the operation 1 page 30 Protects images against accidental erasure. The indicator appears on a protected image. Protect . See the following procedure. Exit.

Exits the Protection function. To protect images in single image mode The image is protected and the protect indicator appears on the image. A green indicator appears on the selected image. The indicator turns white. The selected images are protected. For details on the operation 1 page 30. To cancel the protection. In single image mode. Press z in step 3 or 4 of "To protect images in single image mode.". In index mode To cancel protection of all images in the folder Using the menu. DPOF Adding a Print order mark. Adds a Printing images shot with the camera. See page 76. For details on the operation 1 page 30 Plays back recorded images in order Slide show. Interval Sets the slide show interval. Repeat. On. Plays back images in a continuous loop. Off. After all the images have been played back, the slide show Image. You can select only when you use a "Memory Stick Duo" not supplied. Folder. Plays back all the images in the selected folder. All. Plays back all the images in a "Memory Stick Duo" in order. Start. Cancel. Cancels the slide show. The slide show starts. To end the slide show, press z pause the slide show. For details on the operation 1 page 30 Large size. Small size. You can change the image size of a recorded image Resize, and save it as a new file. The Cancels resizing. Using the menu The resized image is recorded in the recording folder as the newest file. For details on Image Size, see page 10. You cannot change the size of movies. When you change from a small size to a large size, the image quality deteriorates. You cannot resize to an image size of 32 or 169. When you resize a 32 or 169 image, the upper and lower black portions will be displayed on the image. For details on the operation 1 page 30 Rotates a still image. Rotates an image. See the following procedure. See the following procedure. Cancels rotation. See page 48. For details on the operation 1 page 30. Trimming Recording an enlarged image. Records an enlarged image page 28 as a new file. Trimming. Return.

Cancels trimming. The image is recorded, and the original image is displayed again. Using the menu Using Setup items. You can change the default settings using the Setup screen. Mode dial. MENU button Control button To return to the menu from the When the menu is not displayed. Press

MENU longer to display the. To cancel theIf it does not appear, selectFor details on the operation 1 page 48. The default settings are marked with. Digital Zoom. Selects the digital zoom mode. The camera enlarges the image using optical zoom up to 3. When the zoom scale exceeds 3, the camera uses either smart or precision digital zoom. SmartEnlarges the image digitally with almost no distortion. This is. PrecisionEnlarges all image sizes up to a maximum of 6, but theOff. Does not use the digital zoom.Maximum zoom scaleSize. The W side of this line is the optical zoom area,Zoom scaling indicator. However, this phenomenon has noFor details on the operation 1 page 48When you operate the camera, the description of functions is displayed. Displays the function guide. Does not display the function guide. Red Eye Reduction. The flash strobos two or more times beforeOn . Reduces the redeye phenomenon. Does not use Red Eye Reduction.Auto Review. Displays the recorded image on the screen for approximately two seconds immediately afterOn. Use the Auto Review. Does not use Auto Review.For details on the operation 1 page 48. This item does not appear when a "Memory Stick Duo" is inserted in the camera. Format. Formats the internal memory. The message "All data in internal memory will be erased Ready" appears. The format is complete. To cancel the formatting. Using the Setup screenFor details on the operation 1 page 48. This item appears only when a "Memory Stick Duo" is inserted in the camera. Formats the "Memory Stick Duo". A commercially available "Memory Stick Duo" is alreadyThe message "All data in Memory Stick will be erased Ready" appears. Create REC. Folder.

Creates a folder in a "Memory Stick Duo" for recording images. The folder creation screen appears. A new folder is created with a number incremented one higher than the largest number, and theTo cancel the folder creation. When not creating a new folder, the "101MSDCF" folder is selected as the recording folder. You can create folders designated up to "999MSDCF.". Images are recorded in the newly created folder until a different folder is created or selected. You cannot delete a folder with the camera. To delete a folder, use your computer, etc. Up to 4,000 images can be stored in one folder. When the folder capacity is exceeded, a new folder isFor details on the operation 1 page 48. Change REC. Folder. Changes the folder currently used for recording images. The folder selection screen appears. To cancel changing the recording folder. Copy. Copies all images in the internal memory to a "Memory Stick Duo".Copying starts. To cancel the copyingTo delete the contents of theYou cannot choose a specific folder on the "Memory Stick Duo" as the destination for the data to beFor details on the operation 1 page 48. LCD Backlight. Selects the brightness of the LCD backlight when using the camera with batteries. Bright. Brightens. Normal. BeepTurns on the shutter sound when you press the shutter button. Language. Selects the language to be used to display the menu items, warnings, and messages. Using the Setup screen. Shutter. Initialize. Initializes the setting to the default setting. Even if you execute this function, the images stored in the internal memory are retained. The message "Initialize all settings Ready" appears. The settings are reset to the default setting.For details on the operation 1 page 48. USB Connect. Selects the USB mode to be used when connecting the camera to a computer or a PictBridgePictBridge. Connects the camera to a PictBridge compliant printerWindows XP and Mac OS X. Mass Storage. Establishes a Mass Storage connection between the cameraVideo Out.

Sets the video signal output according to the TV color system of the connected videoUSA, Japan.Clock Set. Sets the date and time.Viewing images on a TVThe connection varies according to the type of TV the camera is connected to. Viewing images by connecting the camera to a TV with the supplied. Turn off both the camera and the TV before connecting the camera to the TV.Images shot with the camera appear on the TV.If you want to view images on a TV screen, you need a TV with a video input jack and the. Check the following lists for the TV color system of the country or region where the camera isNTSC system. Bahama Islands, Bolivia, Canada, Central America, Chile, Colombia, Ecuador, Jamaica. Japan, Korea, Mexico, Peru, Surinam, Taiwan, the Philippines, the U.S.A., Venezuela, etc. PAL system. Australia, Austria, Belgium, China, Czech Republic, Denmark, Finland, Germany, Holland. Hong Kong, Hungary, Italy, Kuwait, Malaysia, New Zealand, Norway,

Poland, Portugal. Singapore, Slovak Republic, Spain, Sweden, Switzerland, Thailand, United Kingdom, etc. PALM system. Brazil. PALN system. Argentina, Paraguay, Uruguay. SECAM system. Viewing images on a TV. Bulgaria, France, Guiana, Iran, Iraq, Monaco, Russia, Ukraine, etc. Enjoying your Windows computer. For details on using a Macintosh computer, refer to "Using Illustrations of screens used in this section are based on the. English version. Install the software supplied first page 62. Music Transfer Browser". Additional information on this product and answers to Customer Support Website. Recommended computer The following environment is Recommended environment for copying OS preinstalled Microsoft Windows USB jack Provided as standard. Recommended environment for using OS preinstalled Microsoft Windows. Hard Disk Disk space required for Display Screen resolution 1,024 768 dots Colors High Color 16bit color or more Notes on connecting the camera to a USB hub. This section You can install the software supplied CDROM drive.

The installation menu screen appears. The "License Agreement" screen If you accept the terms of the Computer t The "Choose Setup Language" screen After you install the software, a shortcut Once you register on the website, you can After you install the software, the short cut icons for "Picture Motion Browser", "Picture. Motion Browser Guide", are created on the desktop. Using your computer You can use still images and movies from This section summarizes the "Picture. Motion Browser". With the "Picture Motion Browser" you Guide". To access "Picture Motion Browser Guide". Red Eye Correction Motion Browser". Starting the "Picture Motion Browser". Doubleclick the Browser icon on the desktop. You can change Exiting the "Picture Motion Browser". Click Preparing the camera and the Connecting the camera to your Adaptor not supplied. Dedicated USB cable Access. When a USB connection is established for Wait for a while. CX6005060 Copying images to a computer Viewing images on your When importing is complete, the "Picture. Motion Browser" starts. Thumbnails of the After making a USB connection, the. Motion Browser" appears automatically. Organize images on the computer on a For details, see the "Picture Motion. Browser Guide". Wizard appears, close it. To start importing images, click the. By default, images are imported into a Browser", refer to "Picture Motion Browser. Guide". Perform the procedures from step 1 to 4 Image file storage destinations The image files recorded with the camera Stick Duo" or the internal memory. Example viewing folders on Windows XP Doubleclick here The device is disconnected. Vista. B Folder containing image data recorded When no new folders are created, there are Using your computer. A Folder containing image data recorded The numerical Motion Browser". You can copy images to your computer For a computer with a Memory Stick slot. Remove the "Memory Stick Duo" from the Duo Adaptor. Insert the Memory Stick Duo. Adaptor in the computer and copy the Memory Stick slot on your computer.

<https://events.citeve.pt/chat-conversation/electrolux-rc1600egp-manual>