


# brother p touch pt 1290 manual



**File Name:** brother p touch pt 1290 manual.pdf  
**Size:** 2062 KB  
**Type:** PDF, ePub, eBook  
**Category:** Book  
**Uploaded:** 5 May 2019, 15:19 PM  
**Rating:** 4.6/5 from 659 votes.

**Status: AVAILABLE**

Last checked: 17 Minutes ago!

**In order to read or download brother p touch pt 1290 manual ebook, you need to create a FREE account.**

**[Download Now!](#)**

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

## Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with brother p touch pt 1290 manual . To get started finding brother p touch pt 1290 manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# brother p touch pt 1290 manual

Who is covered. Brother is not responsible for damage to or loss of any equipment, media, programs or. Should you have questions, or need information about your Brother Product, we have a variety ofHow to use the Ptouch labeler. 4. Safety Precautions. 5. General Precautions. 8To prevent injury and damage, important notes are explained using various symbols.Follow these guidelines to avoid liquid leakage, heat or rupture of the battery.LCD DisplayAC Adapter Optional on the PT2030.. Connect the AC adapter directly to the Ptouch labeler.LanguageDeleting TextPunctuation. Business. Mathematics. Brackets. Arrows. Unit. International. Number. Pictograph. ElectricalSetting Character Attributes by LabelAttribute Value ResultAutonumbering Labels. Using the numbering function you can create a set of sequentially numbered labelsMain UnitDisplay. Upgrade Today with this great low cost ptouch printer. This Brother ptouch users guide is a product download and the download link is provided below; file is in.pdf format. FILE SIZE 6687k Need Support. If you download the manual and still have questions, you can reach Brothers Ptouch Support line at 8772768437. They should be able to help you troubleshoot a problem or walk you through your label makers features and functions. Also, if batteries are already Replace them with When disconnecting Replace them. Before applying the Do not use tapes that Replace them. Please try again.Please try again.In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Register a free business account Please try your search again later.Amazon calculates a product's star ratings based on a machine learned model instead of a raw data average. The model takes into account factors including the age of a rating, whether the ratings are from verified purchasers, and factors that establish reviewer trustworthiness. Please try again later. Celeste S. 5.<http://extintoresorigen.com/images/editor/c7000-manual-pdf.xml>

- **brother p touch pt 1290 manual, brother p-touch pt-1290 user guide, brother p touch pt 1290 tape, brother p-touch pt-1290 instructions, brother p-touch model pt-1290 manual, brother p-touch pt-1290 label maker manual, brother p touch label maker pt 1290 tape, brother model pt-1290 manual, brother p touch pt 1290 manual, brother p touch pt 1290 manual pdf, brother p touch pt 1290 manual pdf, brother p-touch pt 1290 manual pdf, brother p touch label maker manual pt 1290.**

0 out of 5 stars In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Try checking the product description for more information.Please try again.Please try again.Register a free business account Please try your search again later.Amazon calculates a product's star ratings based on a machine learned model instead of a raw data average. The model takes into account factors including the age of a rating, whether the ratings are from verified purchasers, and factors that establish reviewer trustworthiness. Qwerty keyboard, optional AC adapter or batteries. You might not need every tool for every procedure. Model Number can be found on back of device and was released in Sept. 2009. The PTouch Model label maker features a 15character LCD display, typewriter style keyboard and Auto Tape Detection feature that automatically recognizes the size of the installed tape cassette and adjusts the text to fit the label width. Including professional layouts that accommodate 2 rows of text. Easily switch between 2 fonts with the touch of a button. Also has builtin memory to store up to 9 of your most frequently used labels. Select from the many frames, character sizes and styles to design beautiful custom labels. In addition, the variety of tape cartridges available allows you to print labels with different widths and exciting colors. Read this manual carefully before starting and keep the manual in a handy place for future reference. Do not forcibly bend or pull the power cord. FCC

NOTICE This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions 1 this device may not cause harmful interference, and 2 this device must accept any interference received, including interference that may cause undesired operation. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. <http://www.soojuspilt.ee/files/c700fk02-m-en-manual.xml>

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

**Power Supply and Tape Cassette** Open the cassette cover by pressing the above indicated area at the top end of the machine. If a tape cassette is already installed, remove it by pulling it straight up. Insert six new AAA alkaline batteries LR03, making sure that their poles point in the correct directions. Always replace all six batteries at the same time using brand new ones. Securely close the cassette cover, making sure that it snaps into place. After you have installed the tape, feed the tape see "Feeding" on page and then push in the tape cutter lever to cut the tape. NOTE When using optional AC adapter AD24ES 1. Insert the plug on the adapter cord into the AC adapter jack on the top end of the machine. 2. Insert the plug into the nearest standard electrical outlet.

**Troubleshooting X Error message X What to do when.**

- The batteries are weak. Replace them with new ones. Check Battery! The installed batteries are running low.
- No Cassette! You tried to print a label when there is no cassette installed.
- Cutter Error! Tape cutter lever is used in the middle of printing process.
- Full! The maximum number of characters 80 characters, 50 characters for DECO MODE have already been entered.
- Text Too Long! The text length exceeds the selected label length, Auto Format setting length and DECO MODE setting length. Refer to "Setting Margin".
- Cooling If the print head becomes too hot, your machine will stop printing and automatically start to cool down. The cool down time will be displayed.

Once the print head is cool, printing will automatically continue. Do not touch the Ptouch labeler while cooling. Language and Unit settings will also be cleared. Remove the tape cassette and use a dry cotton swab to gently wipe the print head with an upward motion. Do not touch the cutter lever during printing.

**X To Clear** By pressing, the letters will be deleted one by one. Resetting the Ptouch You can reset the Ptouch labeler when you want to initialize the settings, or in the event the Ptouch labeler is not working properly.

- 1 Turn off the Ptouch labeler and then while holding down and, press to turn the Ptouch back on.
- 2 Release and. The Ptouch labeler turns on with the internal memory reset.

NOTE All text, settings and stored files are cleared.

**DECO MODE** This function allows you to create unique labels by using some built-in templates. Refer to the DECO MODE format table C on the enclosed insertion sheet. If the print head becomes too hot, your machine will stop printing and automatically start to cool down. The cool down time will be displayed. Up to nine labels can be saved and recalled for printing at a later date. Press to cancel.

**Specifications Accessories** If the cutter blade becomes blunt after repetitive use and the tape cannot be cut cleanly, replace with new cutter unit stock no. Should you encounter any problems with your product, please do not return your product to the store. After referring to the Users guide, if you still need assistance, call Brother Customer Service at Voice 1877BROTHER Web [www.brotherusa.com](http://www.brotherusa.com) Fax 19013791210 If you need to locate a service center, please call 1877BROTHER or visit us at [www.brotherusa.com](http://www.brotherusa.com)

**ELECTRONIC LABELING SYSTEM User's Guide**  
English Espanol Printed in China L W3866001 A PT 1290 PT 1290 PT 1290 Caps Caps. All trademarks referenced are the property of their respective trademark holders.

Ink Station has no affiliation with Brother, Canon, Dell, Epson, Fuji Xerox, Hewlett Packard, Lexmark, Kyocera, Samsung and other manufacturers, or OEM, and nor has any arrangement been made with them to form the basis for any statement we make. Please note that due to the high

volume of items listed on this website, there may be times when item names may vary from the product ordered.