



**File Name:** canon powershot a1000is user manual.pdf  
**Size:** 3207 KB  
**Type:** PDF, ePub, eBook  
**Category:** Book  
**Uploaded:** 9 May 2019, 15:29 PM  
**Rating:** 4.6/5 from 560 votes.

**Status: AVAILABLE**

Last checked: 10 Minutes ago!

**In order to read or download canon powershot a1000is user manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon powershot a1000is user manual . To get started finding canon powershot a1000is user manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# canon powershot a1000is user manual

This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file. Access your account, or create a new account, click here to get started. Figures for Movie Mode represent total capacity of the particular media. Canon, DIGIC, PIXMA, PowerShot and SELPHY are registered trademarks of Canon Inc. Mac is a trademark of Apple, Inc., registered in the United States and other countries. All other products and brand names are registered trademarks, trademarks or service marks of their respective owners. Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size The Product purchased with this limited warranty is the only PowerShot Digital Camera to which this limited warranty applies. Warranty exchange or replacement does not extend the original warranty period of the Product. The sole warranty, if any, with the respect to such nonCanon brand items is given by the manufacturer or producer thereof. This limited warranty covers all defects encountered in normal use of the Products, and does not apply in the following cases A Canon Customer Care representative will attempt to diagnose the nature of the problem and correct it over the telephone. If the problem cannot be corrected over the telephone, you will be asked to follow the applicable procedures for MAILIN SERVICE. Note that a dated proof of purchase is required at the time of service. MAILIN SERVICE is a program under which your Product is repaired by a Canon U.S.A. or a Canon Canada authorized service center for the Product. You will be given the name, address and phone number of an authorized service center. <http://holidaypackagesegypt.com/jolida-sj-302a-manual.xml>

- **canon powershot a1000is user manual, canon powershot a1000is user manual pdf, canon powershot a1000is user manual download, canon powershot a1000is user manual free, canon powershot a1000is user manual user, canon powershot a1000 is user manual.**

It is your responsibility to properly package and send the defective Product, together with a copy of your dated proof of purchase, a complete explanation of the problem and a return address to the authorized service center at your expense. Do not include any other items with the defective Product. The Product covered by this limited warranty and proven to be defective upon inspection will be repaired and returned to you without charge by the authorized service center. Any Product received by the authorized service center that is not covered by the limited warranty will be returned unrepaired, or at the discretion of the authorized service center, you may receive a written estimate of repair at such cost as the service center may establish from time to time. Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store Provides uninterrupted power for shooting or downloading. It allows viewing of recorded images from the Canon Powershot Digital Cameras. Effectively doubles the flash range of the camera. Comes with mounting bracket. The cable connects to your camera and to the USB port on your PC or MAC Computer. Comes standard with the EOS 1Ds Mark III, 1D Mark IV, 1D Mark III, 1Ds Mark II, 1D Mark II N, 1D Mark II, 5D Mark II, 7D, 5D, 50D, 40D, 30D, 20D, 10D, Digital Rebel XTi, Digital Rebel XT and Digital Rebel. Please see Compatibility tab for compatible models. Software Starter Guide Read when you want to connect the camera to a computer. Explains how to install and use the software on the Canon Digital Camera Solution Disk. Please be advised. Checking the Package Contents. 2 Conventions Used in this Guide. 3 Read This First. 4 What Do You Want to Do. 6. Compatible Batteries AA size alkaline batteries and Canon AA size NiMH batteries sold

separately p. 36. Can any other batteries be used. We cannot recommend the use of any other batteries than those listed above because performance varies widely. <http://www.elmor.com.pl/userfiles/jollibee-operations-manual.xml>

Since the date and time recorded into your images are based on these settings, be sure to make them. Display the language menu. To take images that are in focus, be sure to first press the shutter button lightly halfway to focus, then take the shot. If you just press the shutter button fully without pausing halfway, the images you take may not be in focus. The startup sound will play, and the start up image will appear. Recommendation for beginners 9 Easy mode Just setting the mode dial to 9 Easy mode allows you to shoot and playback images. This mode is recommended for beginners, who are not familiar using cameras. Easy mode Set to Playback mode. Please note that erased images cannot be recovered. Exercise adequate caution before erasing an image. The last image you shoot will appear. Select an image to erase. CanonBrand PictBridge Compliant Printers Sold Separately By connecting your camera to one of the Canonbrand PictBridge compliant printers below, you can print your images just like photos without having to use a computer. The camera will start shooting the movie. The last image or movie you shot will appear. Install the software. Windows Place the CDROM in the computer's CDROM drive. This product is designed to achieve excellent performance when used with genuine Canon accessories. Some accessories are not sold in some regions, or may no longer be available. However, the Simple Information will not display. The menu items are organized under categorized tabs, and the displayed tabs and menu items change, depending on the Shooting p. 40 or Playback mode p. 41. For more information on the tabs and menu items, refer to page 136. Formatting a memory card erases all data on the memory card. You cannot retrieve the erased data. Mute Setting Adjusting the Volume Display the menu. You can change the length of time the images display. Shooting Special Scenes The camera will make the optimal settings for the special scene you wish to shoot when you select a matching mode.

What if the indicator blinks orange and a flashing appears. When you press the shutter button halfway in low light conditions where camera shake is likely, the indicator will blink orange and a flashing screen. Image Deterioration Zones with Digital Zoom Recording Pixels Optical Zoom. The images may appear rough, however, depending on the combination of recording pixel p. Once inserted, however, they cannot be deleted. If a correct exposure cannot be obtained when pressing the shutter button halfway, shutter speed and aperture value are shown in red. Changing the Image Quality Compression Ratio You can choose from 3 types of image quality, in order from high to low Superfine, Fine, Select the recording pixels. Approximate Values for Paper Size A4, Letter size. Automatically sets the optimal speed, not only for shooting mode and shooting condition, but also for subject or camera motion. Depending on the scene, the speed may be set higher than in ISO Auto, resulting in less subject blur and camera shake. Auto Automatically sets the optimal white balance for the location. Daylight Fine weather condition, outdoor shooting. Cloudy Cloudy, shady, twilight conditions. Tungsten Tungsten, bulbtype 3wavelength fluorescent. My Colors Off Vivid Neutral Sepia Custom Color Custom Color Select a My Colors setting. You can now recompose and shoot. This is called focus lock. Operations for shooting are the same as when using the screen; however, the view in the viewfinder and the image taken may differ. If the camera cannot focus when you press the shutter button halfway, the AF frame will not appear. Center The AF frame will be fixed to the center. This is effective for focusing on a specific point. Evaluative Center Weighted Avg. Spot Shooting with AF Lock You can lock focusing. Once the focus is locked, it remains locked even if you let go of the shutter button. The focus and exposure can be set separately.

While pressing the shutter button halfway press the o button displays and the exposure is locked. While pressing the shutter button halfway press the o button The flash fires and. In order to avoid camera shake, attach the camera to a tripod. You can use the digital zoom Standard during shooting p. 61. Shooting with reduced recording pixels. You cannot use the Compact zoom during shooting. If



objects do not come into contact with the LCD monitor. If this occurs, it may cause malfunction. Keep your arms tight against your body while holding the camera firmly by the sides. If the memory card has a writeprotect tab, you will not be able to take images if the tab is in the locked position. Slide the tab up until you hear a click. Close the cover and press downward as you slide it until it clicks into place. Removing Memory Card Push the memory card until you hear a click, then release and pull out the card. Compatible Batteries AA-size alkaline batteries and Canon AA-size NiMH batteries sold separately p. 36. We cannot recommend the use of any other batteries than those listed above. The number of shots that can be saved will.

To take images that are in focus, be sure to first press the shutter button lightly halfway to focus, then take the shot. Press halfway lightly to the first stop. The camera focuses and automatically makes necessary settings. Turn on the camera, Press the power button. The startup sound will play, and the start up image will appear. Pressing the power button again will turn. Press the shutter button fully. The camera will play the shutter sound and shoot. The flash will automatically fire in low light conditions. The indicator will blink green while the image is recorded to the memory card. The image will appear on the screen for about two seconds. The last image you took will appear. Please note that erased images cannot be recovered. Exercise adequate caution before erasing image. Set to Playback mode. The last image you shoot will appear.; Select an image to erase. Compact Photo Printers. Recordable Time Compose the shot of your subject. Do not touch the microphone while shooting. The last image or movie you shot will appear. Canon Utilities ImageBrowser 300 MB or more PhotoStitch 50 MB or more. If the screen on the left is not showing, press the Q button. Some accessories are not sold in some regions, or may no longer be available. Power Supplies Battery and Charger Kit CBK4300 This kit includes both a dedicated charger unit and four rechargeable AA-size NiMH nickel metal hydride batteries. Recommended for powering the camera for an extended. Shooting Information Display Playback. No Information Simple Information Detailed Information Focus Check Display Off Display Display Display Shooting in Dark Conditions during Shooting The display automatically brightens when shooting in dark conditions, allowing you to check the composition. Set the mode dial to the desired shooting mode. Formatting a memory card erases all data on the memory card. You cannot retrieve the erased data. Images display for approximately 2 seconds after being shot.

You can change the length of time the images display. The camera automatically sets the optimal settings that you can shoot worryfree in any shooting condition. Select a shooting mode. Set the mode dial to the scene you wish to shoot. The camera will make the optimal settings for the special scene you wish to shoot when you select a matching mode. Select a shooting mode. ii. N Foliage Take shots of foliage Lets you shoot trees and leaves such as new growth, autumn leaves. After taking the shot, repeat the above steps to select. Move the zoom lever toward Hold the zoom lever until zooming stops. Once inserted, however, they cannot be deleted. Be sure to check beforehand that the date and time are correctly set p. 18. Select the recording pixels. If you use a low level formatted p, 50 memory card, you can continuously shoot until the memory card is full. Select the recording pixels. Approximate Values for Paper Size Suitable for sending. Approximate Values ISO Speed Automatically sets the optimal speed for shooting mode and shooting condition. Automatically sets the optimal speed, not only for shooting mode and shooting condition, but also for subject or camera motion. Select a white balance setting. You can now recompose and shoot. This is called focus lock. Focus on a subject. Center a subject at the same focal distance in the screen, and press the shutter button halfway. Operations for shooting are the same as when using the screen; however, the view in the viewfinder and the image taken may differ. Center The AF frame will be fixed to the center. This is effective for focusing on a specific point. The focus and exposure be set separately. Lock the Exposure. Point the camera at the subject on which you wish to lock the exposure. In order to avoid camera shake, attach the camera to a tripod. Select the Long Shutter mode. Select index Playback. Images will display in an index. Select a search key. In Single Image

Playback, press the **A** button.

The search key and the position of the currently displayed. Each image displays for approximately 3 seconds. Select a transition effect. The recorded image displays with the AF frame frame with the subject in focus, the face frame white frame. Open the cameras cover and insert the plug of the supplied. Immediately switches between images without transition effect. Displayed image fades out as next image fades in. Correction When the camera cannot automatically detect and correct redeye, correct it manually. The attached sound memo can be up to approximately 1 minute long per image. This section will explain other ways to transfer images. Prepare. Follow Steps 24 on page 33 to display Direct Transfer menu. These designation methods comply with the DPOF Digital Print Order Format standards. You will be able to set the number of print copies. Set the number of prints. One copy of every image will be set to print and you will return to the menu screen. Index Prints several reduced size images per page. Both Prints both standard and index formats. Prints date from shooting information. Prints file number. You can set them in the Shooting or Playback mode, by pressing the **Q** button. Turning Off the Startup image You can turn off the startup image that displays when you turn on the camera. Only the corrected image will be recorded to the memory card. You can confirm the result directly on the screen which makes it easier to check the composition or focus of the subject. Turn the camera off. Plug the cord into the camera. Open the cameras terminal cover insert the plug into the camera. Connect the power cord. For stubborn dirt contact the closest Canon Customer Support Help Desk as listed on the customer support leaflet supplied with your camera. When you move the camera. Power You pressed the power button, but nothing happened. When the flash has finished charging, the display will return p. 23. appears when the shutter button was pressed halfway.

This is effective if the subject looks right at the redeye reduction lamp. The shutter will not close for approx. If the file name or folder structure is changed on a computer, you may not be able to play back images or movies. Refer to the Software Starter Guide for information regarding folder structure or file names. Formatting the memory card may solve the problem p. 49. If this error message appears even when using the supplied memory card, contact your Canon Customer Support Help Desk as there may be a problem with the camera. Press the power button to turn the camera off and back on p. 22. If this error message continues to display, contact your Canon Customer Support Help Desk as there may be a problem with the lens. Canon reserves the right to change the contents of this guide at any time without prior notice. Illustrations. This compact Canon PowerShot A1000 IS incorporates a 10.0 MP CCD sensor and DIGIC III Image Processor delivers superb image quality, lets you create impressive large prints. The 4x 35-140mm optical zoom lens gets you close to the action quickly. The Optical Image Stabilizer keeps images sharpness along the full zoom range. The PowerShot A1000 IS features Face Detection detects up to 9 faces and adjusts focus, exposure, flash settings and white balance, giving you the best possible results with natural looking skin tones. Other highlights include 2.5 inch LCD screen, Optical Viewfinder, Easy mode, Face Detection, Auto RedEye Correction and Motion Detection. Used Very Good Please try again. Please try again. Then you can start reading Kindle books on your smartphone, tablet, or computer no Kindle device required. Register a free business account If you are a seller for this product, would you like to suggest updates through seller support To calculate the overall star rating and percentage breakdown by star, we don't use a simple average.

Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. Operating Temperature. Read online or download Canon Powershot A1000 Is user manual in pdf formate. Download all digital camera user guides. "Canon Customer. Support" Leaflet. Camera User Guide. This Guide. Direct Print User Guide. Read when you want to connect the camera to a printer and print. 26 Aug 2008 Export restriction You agree not to send or bring the Software or its documentation out of the country

where you originally obtained it to other View and Download Canon Powershot A1000 IS user manual online. Canon Powershot A1000 IS User Guide. Powershot A1000 IS Digital Camera pdf manual 26 Feb 2015 This compact Canon PowerShot A1000 IS incorporates a 10.0 MP CCD sensor and DIGIC III Image Processor delivers superb image quality, Clie manual sony, Form frame watson, George mitchell report on baseball steroids, Wow horde leveling guide, Form 941 x. Reload to refresh your session. Reload to refresh your session. The PowerShot A1000 IS replaced the PowerShot canon powershot a1000is free download Canon PowerShot ImageBrowser, canon powershot a1000is. Related canon photo software, canon powershot, canon Canon PowerShot A1000 IS.Reload to refresh your session. Reload to refresh your session. Using the online preview, you can quickly view the contents and go to the page where you will find the solution to your problem with Canon PowerShot A1000 IS. To start viewing the user manual Canon PowerShot A1000 IS on full screen, use the button Fullscreen. However, if you do not want to take up too much of your disk space, you can always download it in the future from ManualsBase. The option to print the manual has also been provided, and you can use it by clicking the link above Print the manual. You do not have to print the entire manual Canon PowerShot A1000 IS but the selected pages only. paper.

If you want to quickly view the content of pages found on the following pages of the manual, you can use them. Finished book size is A5 148 x 210mm. 148 pages long. Our reprints are high quality, printed on 80gsm superwhite Canon paper on a Canon office copier. The pages are then spiral bound with a clear acetate front cover and red card back cover, held together with a strong white wire. Your manual will lay flat when open and will last for as long as your camera, with a little bit of care. Manuals over 400 pages long may be supplied as more than one book. You may find documents other than justWe keep our list of direct Canon PowerShot A1000 IS Gray driver and firmware links uptodate so they are easy to find when you need them. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Delivery times may vary, especially during peak periods and will depend on when your payment clears opens in a new window or tab. Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Contact the seller opens in a new window or tab and request a postage method to your location. Please enter a valid postcode. Please enter a number less than or equal to 1. You're covered by the eBay Money Back Guarantee if you receive an item that is not as described in the listing. Find out more about your rights as a buyer opens in a new window or tab and exceptions opens in a new window or tab. All Rights Reserved.

User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Consumers liked them because they were affordable, relatively compact, userfriendly, feature rich, and sturdily built. Photo enthusiasts on a budget and those trying to learn photography loved the A models because they provided optical viewfinders, a useful range of manual exposure options, and produced dependably first-rate images. On the surface the A1000 IS shows a noticeable family resemblance to earlier A series digicams, but under the hood it presents a major departure from the basic design philosophy that defined all of its predecessors. The A1000 IS retains its optical viewfinder and features a rudimentary a handgrip, while the similarly featured A2000 IS Canon's "A" series flagship doesn't provide an optical viewfinder and eschews any type of grip making the A2000 IS look like an upsized SD series digicam. On a negative note, the A1000 IS's handgrip is a pale shadow of the deeply sculpted handgrips of earlier A series digicams, but at least this camera has a grip its big brother, the A2000 IS, doesn't. The A1000's mode dial is one of the best I've seen with a logical almost intuitive layout. Most purchasers will have no difficulty using the A1000 IS right out of the

box. The A1000's linked optical viewfinder is small and pretty squinty, and it only shows about 80 percent of the image frame, but at a time when optical viewfinders are becoming rare the A1000 IS has one where most competitors don't. That lack could easily make the difference especially on a bright day with lots of glare in whether you manage to trip the shutter at the decisive moment or miss getting the picture. Many current digicams feature 230,000 pixel LCDs, so critical focus situations like flower interiors, insect wings, and details in portraits can be a problem in less than perfect lighting.

Concerns about resolution aside, the user-enabled composition grid display is a nice and useful touch, and the A1000 IS's LCD is generally pretty good for framing, composition, captured image review, and menu navigation. But it is, like all LCD screens, subject to fading and glare in bright outdoor lighting. Shottoshot times are about average at between 3.0 and 3.5 seconds. In all exposure modes the camera analyzes the scene in front of the lens and then calculates camera to subject distance to determine which of the 9 AF points is closest to the primary subject closest subject priority and then locks focus on that AF point. Users can also opt for the 1 AF point center AF for classic portraits or traditional landscapes. Zooming is fairly smooth and lens operation is relatively quiet. Minimum focusing distance in macro mode is 1.2 inches. Construction is 7 elements in 5 groups with 2 single side aspherical elements. Canon claims the maximum flash range is about 13 feet 4.0 meters and that appears to be a fairly accurate claim based on my very limited flash use. IS allows users to shoot at shutter speeds up to three fstops slower than would have been possible without IS. Image stabilization can also be a very useful when shooting dimly lit indoor venues where flash is inappropriate. Motion Detection works in concert with the A1000's OIS system and auto focus system to produce acceptable images under less than ideal conditions, but there really is no free lunch as sensitivity increases so does noise. A1000 IS users should keep in mind that leaving the camera in the continuous IS mode fulltime noticeably reduces battery life. Canon claims a pair of alkaline AAs are good for up to 240 exposures, and a pair of NiMH rechargeable AAs is good for up to 500 exposures.