

Canon
580EX II

Canon

SPEEDLITE
580EX II



INSTRUCTION MANUAL
使用说明书
使用説明書

English
简体中文
繁體中文

File Name: canon speedlite 580ex11 manual.pdf

Size: 4629 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 5 May 2019, 16:44 PM

Rating: 4.6/5 from 629 votes.

Status: AVAILABLE

Last checked: 7 Minutes ago!

In order to read or download canon speedlite 580ex11 manual ebook, you need to create a FREE account.

[Download Now!](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon speedlite 580ex11 manual . To get started finding canon speedlite 580ex11 manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

canon speedlite 580ex11 manual

This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file. Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size This Limited Warranty is only effective upon presentation of this warranty card and proof of purchase. Equipment covered by this Warranty will be repaired in the United States, WITHOUT CHARGE, by our Service Centers and Authorized Service Facilities. When returning equipment for warranty service, the shipping charges must be prepaid and the equipment should be shipped in its original carton or box, or an equivalent, properly packed to withstand the hazards of shipment and be fully insured. A bill of sale, copy of this warranty card or other proof of purchase should be enclosed, as well as a description of the problem, film samples, etc. Repairs will be made and the equipment will be return shipped at NO CHARGE. This warranty covers all defects encountered in normal use of the equipment, and does not apply in the following cases List of international service facilities included with equipment. List of participating international service facilities included with equipment. This warranty is given by Canon U.S.A., Inc., with respect to equipment purchased in the United States. Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store Also allows for Remote Triggering of the flash. Upon completion of the download, the PDF file opens automatically. You may download and use the Content solely for your personal, noncommercial use and at your own risks.

- **canon speedlite 580ex11 manual, canon speedlite 580ex ii manual pdf, canon speedlite 580ex ii guide number, canon flash 580ex ii manual, canon speedlite 580ex ii manual, canon speedlite 580ex ii manuale italiano, canon speedlite 580ex11 manual, canon speedlite 580ex 11 manual, canon speedlite 580ex 11 manual pdf, canon speedlite 580ex 11 manual download, canon speedlite 580ex 11 manual instructions, canon speedlite 580ex 11 manual free, canon speedlite 580ex 11 manual.**

Canon shall not be held liable for any damages whatsoever in connection with the Content, including, without limitation, indirect, consequential, exemplary or incidental damages. You shall also not and shall not let others reproduce, modify, reformat or create derivative works from the Content, in whole or in part. Other features include a metal hot shoe with an improved locking mechanism for added durability, an external metering sensor for nonTTL automatic flash exposure control and a PC Terminal for use with nondedicated slave triggers. Leave a Comment Cancel reply Save my name, email, and website in this browser for the next time I comment. New posts will not be retrieved. There may be an issue with the Instagram access token that you are using. Your server might also be unable to connect to Instagram at this time. Error API requests are being delayed for this account. New posts will not be retrieved. There may be an issue with the Instagram Access Token that you are using. Your server might also be unable to connect to Instagram at this time. Error No posts found. Make sure this account has posts available on instagram.com. De krachtige Speedlite 580EX II is draagbaar en compact, en is met een richtgetal van 58 geschikt voor zowel indirect flitsen als telefoto's. ETTL II meting zorgt. Speedlite 580EX, 580EX II, 430EX, 430EX II. Flash units with an additional downward tilt for macro shots Speedlites 540EZ, 550EX, 580EX, 580EX II. View and Download CANON SPEEDLITE 580EX II instruction manual online. Portatil y compacto, el Speedlite 580EX II es un flash de gran potencia con un Numero guia de 58 adecuado para la captura

con flash de rebote y teleobjetivo. So I saved up more money and bought a used Canon 580 EX II off Craigslist. A little while before this, I had purchased a Canon 7D to work with. You can use your flash's guide number GN to determine correct manual flash settings. The 580EX II has a guide number of 58 meters at ISO 100 and the flash.

Dimensions Guide number 140 at ISO 100, feet Equivalent to Nikon SB900 and Canon 580 EX II Remote function Optical Slave, Digital Optical Slave, PC. The Canon 580EX II featured in this repair developed a loose foot over several years of abuse use. The hotshoe wiggle produced chronic. Portable et compact, le Speedlite 580EX II est un flash performant qui bénéficie d'un nombre guide de 58 adapté aux prises de vues par éclairage indirect et. Companeros Los que quieran el manual del Speedlite 580EXII en Inglés, Francés y ESPAÑOL en formato PDF original NO ESCANEADO . The Canon 580EX mk II is Canon's flag ship flash unit, and as such it offers next to all the bells and whistles also a powerful manual mode. This QuickGuide is designed to provide an overview of the Canon. Base de manuales de instrucciones online. With full E-TTL control Master and Remote capabilities the Yongnuo YN568EXII is a low cost direct competitor to the Canon 580EX II. Just how. I'm trying to follow along with Bryan Peterson's book on flash photography using my Canon 580EX II. In the book, all of the examples are with. I just received the 580 EX II as a gift. When I have a Canon Rebel XTi. Results 1 19 of 19. Find canon speedlite 580ex ii ads. Buy and sell almost anything on Gumtree classifieds. Sorry don't have a 580, but on a 430, when you put it in slave mode, it reverts to E-TTL. Not possible for it to shoot in Manual as a slave. Canon Speedlites 580 EX II, 430EX, 430EX II, 220EX, MR14EX, MT24EX plus. They are the 580EX II, the 430EX II and the 220EX with the 420EX and. I would like to use my Canon 580EX manual mode with my XT1. Dismount your 580 EXII, make sure it is turned on and in manual and the. I had a Canon 580 EXII and Canon 430 EXII flash units on hand to compare. Test cameras were Canon 20D, 7D and 70D. The Yongnuo 568 EX II is about the. This season I am looking to add a 430EX II to my existing 580EX II. Here's how I set up my Canon 430 EX II for manual exposure; your.

Bryan Peterson shows to set up a Canon 580 EX II Speedlite flash and a. The Canon Speedlite 580EX II is an EOS dedicated, high output flash. I am trying to reset the manual zoom function. I have noticed that my flash is very weak. Looking at it I notice that it is stuck at M-zoom 14mm. The Canon Speedlite 580EX II is an EOS dedicated, high output flash. I've had a Canon 580EX II flashlight and looking for some good sources that show. Speedlite 580EX II Camera Flash pdf manual download. O Speedlite 580EXII da Canon é um flash de alto rendimento dedicado para máquinas EOS, automaticamente compatível com E-TTL II, E-TTL. Speedlite II Hotshoe clip on Flash Instruction Manual. General Information Although the 580EX II inherits the 580EX's basic functions,. Page 1. COPY. Page 2. COPY. Page 3. COPY. Page 4. COPY. Page 5. COPY. Page 6. COPY. Page 7. COPY. Page 8. COPY. Page 9. COPY. Page 10. Los mejores precios en Flash Profesional Yongnuo Yn560 Manual Canon 580 Ex II Flashes en Accesorios para Cámara Digital están en MercadoLibre Perú. Software disponible 0. Il software è un download opzionale che attiva una funzionalità avanzata e consente di utilizzare al meglio il prodotto. O Speedlite 580 EX II já saiu de linha, dando lugar ao 600 EX, mas deixou uma legião de. The Canon and Nikon versions are compatible, so a RF603N. I am planning to buy the Yongnuo RF603 for my Canon 580 Ex II and Canon. The 580ex is the most versatile flash in the Canon arsenal. The introduction of radio for flash triggering in Canon starts with the. There's several articles on external metering on the Canon USA. Ten Tips for a 580exII Flash mounted on a Canon 5D. These tips are from experience I gleaned from shooting a Canon 5D with 580ex II and. Canon 580EXII reprezintă varful de gamă al blitzurilor pentru sistemul EOS. This is the full CANON Canon. Though it has been replaced by Canon, and even partially supplanted in my inventory, by the newer SpeedLite 600ExRT, the 580Ex II is still.

EMPTY BOX ONLY Canon Speedlite 580EX II Box with Manual. Encontre ofertas incríveis em Manual Português Canon Flash 580ex II Artquivo Pdf Imprimive Flashes Canon que está buscando.

Tudo que voce precisa para. I have bought a Canon Speedlite 580EX II, I am going to do a charity event and want to put the flash in E-TTL but also want to shoot it in f4. I have a 50mm 1.4. The Canon Speedlite 430EX II is a multifeature flash unit for Canon. Canon Speedlite 580EX II. Software. image1. Back to top. Software. Canon iD. Produkt registrieren und Canon iD Konto verwalten. Locate A Repair Centre. Den kompakte og kraftige Speedlite 580EX II er lett a ta med seg, og med et ledetall pa 58 passer den til fotografering med indirekte blitsbelysning og. Den transportable og kompakte Speedlite 580EX II er hojtydende med et ledetal pa 58, hvilket gor den egnet til bade reflekteret flash og optagelser med. When using several Speedlites on a shoot the 580EX II can be used as either a master or a slave. The 580EX II can be controlled via the Speedlites LCD panel. V nasi recenzi tohoto blesku se dozvite, jake. Canon Speedlite 580EX II. Software. image1. Back to top. Canon iD. Register your product and manage your Canon iD account. Locate A Repair Centre.Reload to refresh your session. Reload to refresh your session. The 580EX II is Canons toposfheline, professional grade external flash There are very few features missing in this one.And since image quality is ultimately important to me, my biggest concern is what my flashexposed shots look like. So, getting down to business. Since the flash head working area size is nearly identical between the two flashes, original size of the light thrown by them is going to be the same. The amount of light thrown; however, is always the question.

How well does the E-TTL exposure workUsing my original 580EX flashes and a new 580EX II, I tested various scenario, camera, lens and setting combinations including the With the camera in M mode, the 580EX II is giving me images that are.3 stops darker on average with a rather small standard deviation. I didnt notice any change in exposure comparisons with the flash head in the bounce position. Of course, a little flash exposure compensation results in identical results in most circumstances.In this scenario, the original 580EX completely blew the highlights, while the 580EX II exposed at over 1.5 stops lower slightly too low, but retaining the highlights. In nearly all cases, would pick the 580EX II exposure over the 580EX without FEC by a slight margin.What is more noticeable to me is the lack of sound during the recharging phase. Ive grown accustomed to listening to the whine of the charging flashes I can audibly tell when they are at full power and know when the batteries are nearing the end of their charge. I definitely like the new, veryprofessional quiet charging, but I need to relearn my flashready indicators. I should note that the flash is not soundfree as the zoom flash head still makes noise. The flash head zoom noise is higherpitched. I wouldnt call it louder, but it is possibly more noticeable sometimes.Bad in that it will still be the part that breaks, but good that your camera likely will not be the part that breaks a broken flash beats a broken camera any day from my perspective. The longtime standard plastic foot is shown above left the new metal 580EX II metal foot is shown above right.This is Canons first weatherresistant flash. Dust and water resistance is a feature that is going to be in heavy demand from sports and photojournalism photographers.

The final sealing at the cameras hot shoe requires the changes implemented in the announcedatthesametime and appealingtothesamephotographersUsers of older and nonsealed bodies will not get this final sealing protection, though the rest of the flash is sealed. A little tape can probably remedy this issue for older weathersealed bodies. Rubber covers seal the external ports for external power and the new, greatly needed receiveonly PC terminal Pocket Wizard RF remote users know what this port does for them. The PC terminal is located just above the foot on the flashes left side.Simply thumb slide the lever from left to right until it clicks into locked position. Feet lower to tighten the flash solidly onto the hot shoe and the locking pin is lowered. A lock release button is located just to the right of the lever making unlocking easy. The new lever is faster to use I like it.Newer Canon DSLR bodies have the ability to control the flash from their menus this becomes the easier method of controlling this flash option. Note the adhesive Velcro shown on the original 580EX above left is an accessory used to hold certain flash modifiers in place.Small changes include a repositioned wireless slave sensor and a reconfigured AF assist beam emitter The 580EX II weighs 1

lb 2.6 oz 525g with 4 NiMH batteries installed compared to 1 lb 1.4 oz 490g for the 580EX actual tested weights. The 580EX II sports a new power switch design this one rotates instead of sliding. The new one is a little nicer and likely easier to seal, but the physical change is not significant from a user perspective. The flash body finish is slightly more textured than that of the 580EX. The built-in meter measures reflected light and turns off the flash when the proper amount is detected. Metered off a gray card manual flash is also available. A custom function menu setting is used to select the external metering modes.

High speed synch is not available and no preflash is fired in the external metering modes. My comparisons showed external metering, even from a 1D Mark III, to be significantly underexposed typically 1.5 stops or so unless the subject was very dark. ETTL II and the previous ETTL are Electronic Through the Lens metering modes that fire a preflash to determine how powerful the immediately following actual flash needs to be. This is Canon's very easy to use automatic flash. Some people love it and some don't I personally like it very much. And likely many more models by the time the 580EX II is retired. ETTL II advances ETTL by incorporating distance information from newer Canon lenses into flash exposure calculation. This flash also passes color information to the camera. With the camera in M mode, the flash will provide the light necessary to get a proper exposure. This is the easiest mode to use for flash as the main light stopping even the fastest action in the dark. Camera and subject motion can be issues in this mode unless a custom function provided only on some cameras is selected to increase the shutter speed. Tv mode is similar to Av mode. I'll let you explore the rest of the modes available on your camera see your camera's manual. If your subject distance is consistent formal portraits for example, a manual flash output setting can eliminate shot-to-shot exposure variations. Using the control dial, it is easy and fast to set manual flash power output. Become familiar with this mode. In this mode, the 580EX II fires a rapid series of flashes as setup in the menu. Unleash your creativity with this one. Modeling flash is available with the DOF Preview button. This is a very nice feature. Every time I change batteries in the 580EX above left, I have this little fear that I am going to break the battery door off while trying to get it open. Fear no more the 580EX II has a new door above right.

Slide the round button sideways and then down the battery door springs up for clear access to the 2x2 square not staggered oriented AA batteries. This is the way it should have been in the first place. The 580EX II is rated for approximately 100 to 700 shots from new AA size alkaline batteries which deliver a fast recycling time of approximately 0.1 to 6 seconds. For quick flash firing a not completely charged flash, recycle times range from 12.5 seconds again from new AA size alkaline batteries. NiMH batteries have much less internal resistance than alkaline batteries resulting in significantly shorter recycle times up to 50% faster. NiMH batteries also give more consistent full power until they are discharged while alkalines will recycle the flash more and more slowly as they expend their life. Adding environmental concerns and cost to this equation should make the decision to use NiMH batteries a no-brainer. Buy lots of them and use them in everything you own that accepts them get a smart charger such as is made by Powerex. A new at the same time weather sealed Compact Battery Pack CPE4 or the older nonsealed CPE3 can be used for faster charging and more flashes per battery change. Chuck Westfall Canon USA clarifies this for us. However, there is a thermistor inside the Speedlite that prevents the flash from firing when internal temperature exceeds a certain unspecified level. If the thermal cutoff kicks in, the flash cannot be fired until it cools down sufficiently. This usually takes about 15 minutes. C.Fn 14 disables Auto Power Off, but it does not disable the thermal cutoff. FEC Flash Exposure Compensation. At certain shutter speeds, the second curtain starts to close before the first curtain is completely open standard flash mode needs a wide open aperture for the instant it flashes light. In HS mode, the faster the shutter speed, the shorter the effective flash range will become.

FEC overrides the camera setting while other settings are determined by the location of the last

adjustment. The zoom setting can be set manually for creativity or automatically by the camera communicating with the flash. The zoom setting is optimized for the camera and lens being used. Less light is wasted, battery life is maximized. This means that the Canon EF 102mm USM Lens is supported on EF-S compatible Canon bodies. A lens wider than 24mm or equivalent framing requires the pullout and flipdown diffuser panel to be used for complete frame flash coverage. A lens wider than 14mm such as the Canon EF 15mm Fisheye Lens requires bounce flash or an accessory diffuser such as a StoFen OmniBounce. Rotating the flash head to bounce position results in a 50mm zoom position. When using bounce flash, consider also using the retractable catch light panel. This is a white, semirigid plastic-like panel meant to create a bright reflection in the subjects eyes. The catchlight panel is only useful to a certain distance as the reflection size becomes too small to be useful at some point. AF assist projects a red pattern of light that creates enough contrast for the camera to autofocus on even a solid-colored wall. The AF assist beam is functional within its range 232.8 .6m10m in the center, 216.4 .6m5m at periphery. The 580EX II's AF Assist Beam is aligned with the focus points on all of Canon's EOS bodies with 1, 3, 5, 7, 9, or 45 AF points. This is a powerful feature that I use a lot. Note Even when disabled, the master flash will fire a preflash making it appear to be enabled. Canon Speedlites use light not RF from the flash head for simple wireless flash communications. This is basically a line-of-sight system though indoor use can include non-line-of-site remotes if the light bounces off objects in the room sufficiently to communicate with the remote flashes. The transmission range for wireless communication are periphery-center 39.449.2 12m15m indoors and 26.232.8 8m10m outdoors.

Four slave channel IDs are available to avoid conflicts with other photographers. Why use an external flash. The answer may be obvious to owners of camera bodies without a built-in flash, but not so clear to those using bodies with a built-in flash. The built-in flash is great for fill flash to light the shaded areas such as people's eyes in a picture. To use fill flash, set your exposure for the ambient light, then dial in 1 to 2 EV FEC Flash Exposure Compensation. The built-in flash is also useful for adding catchlights sparkle in a subject's eyes. Items close to the flash are often overexposed, the background often becomes black, harsh shadows typically abound and subjects tend to become flat looking. But, sometimes there is no choice it is simply too dark, the subjects are in action. In this case, you simply must use the flash for the main light. But, this does not mean the flash must be fired directly toward the subject. Thus, the main light becomes the wide reflecting surface and the broad light source creates a much softer, less flat and far more pleasing image. The swivel and tilt features allow the 580EX II to be aimed as desired. Using an E-TTL compatible Canon Off Camera Shoe Cord OCE3, this allows specific placement of the flash in relation to the camera. Keeping the flash mounted higher above the lens to send the subject's shadow lower where it is not as unpleasant. A bracket is also useful for macro photography. An accessory flash can be mounted in a softbox or umbrella for superb lighting. Multiple wireless remote flashes can be setup for a highly portable, complete professional lighting setup. Visit the links at the end of this review for more ideas and information on off-camera flash use. Wider lenses will have a shorter effective distance, for example. Canon makes a Speedlite 220EX, but it is rather featureless good mostly for fill flash. The 430EX has a Guide Number of 141 43 m while the 580EX II has a Guide Number of 190 58 m both at 105mm.

The 430EX is not underpowered for many uses, Any number of Canon 430EX, 420EX, 580EX II, Speedlites can be combined as slave units but only the Canon 580EX II, 580EX and 550EX Speedlites can act as slave masters. In addition, the Canon Macro Ring Lite MR14EX, Macro Twin Lite MT24EX, or Many people start out with a Canon Speedlite 430EX Flash or started out with 420EX and later move up to a 580EX or 580EX II. The 430EX can then be used as a remote flash. You can still utilize the 430EX's focus assist, but need to know that all focus points are not covered as in the 580EX II. The 430EX does not have this capability, nor does it have the PC terminal. Instead of a dial for adjusting settings, the 430EX utilizes rounded parenthesis-shaped buttons. I can

understand making buttons safe from accidental changes, but these buttons are narrow and require an excessively deep press to make changes. The dial is much easier to use. Otherwise, the 430EX is a very nice flash as well. It is about 15% lighter and more than 25% smaller in overall volume. Perhaps most important is that the Canon Speedlite 430EX Flash is less expensive. Also included is a slightly modified from the 580EX shoe stand for remote flash operation. Thus, I depend solely on the commissions received from you using the links on this site to make any purchase. I am grateful for your support! Bryan You expect to get what you ordered, and you want to pay a low price for it. The retailers I recommend below are the ones I trust for my purchases. Get your Canon Speedlite 580EX II Flash now from Consider renting. Renting is fast and easy. The rental companies I recommend below are excellent to work with. Schedule your rental now LensRentals.com LensProToGo Using these links for your rental supports this site Can you help right now Please choose a different delivery location. Our payment security system encrypts your information during transmission.

We don't share your credit card details with thirdparty sellers, and we don't sell your information to others. Please try again. Please try again. Then you can start reading Kindle books on your smartphone, tablet, or computer no Kindle device required. Register a free business account If you are a seller for this product, would you like to suggest updates through seller support To calculate the overall star rating and percentage breakdown by star, we don't use a simple average. Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. Please try again later. M. R. 1.0 out of 5 stars Way overpriced for what it is. You are better off downloading the manual and printing it yourself. It is all I could hope for. The pages are then spiral bound with a clear acetate front cover and red card back cover, held together with a strong white wire. Your manual will lay flat when open.