



File Name: casablanca isotope fan manual.pdf

Size: 1541 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 18 May 2019, 20:29 PM

Rating: 4.6/5 from 599 votes.

Status: AVAILABLE

Last checked: 18 Minutes ago!

In order to read or download casablanca isotope fan manual ebook, you need to create a FREE account.

[Download Now!](#)

eBook includes PDF, ePub and Kindle version

[❑ Register a free 1 month Trial Account.](#)

[❑ Download as many books as you like \(Personal use\)](#)

[❑ Cancel the membership at any time if not satisfied.](#)

[❑ Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with casablanca isotope fan manual . To get started finding casablanca isotope fan manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

casablanca isotope fan manual

Therefore, before attempting to install and operate your Casablanca fan, read this Owner's Retain this manual and other included documentation for future reference. Caution to avoid possible electrical shock, make certain that electricity is turned off at the circuit breaker. If you need to print a page, you can use the print screen key on your keyboard to save an image and print a page or pages as necessary. From our troubleshooting guides to our over 1000 PDF user manuals, we have it all. You can use the search box to the right to quickly find the fan you're interested in. From our troubleshooting guides to our over 1000 PDF user manuals, we have it all. It will provide comfort and performance in your home or office for many years. This installation and operation manual contains complete instructions for installing and operating your fan. We are proud of our work and appreciate the opportunity to supply you with the best ceiling fan available anywhere in the world. It will provide comfort and performance in your home or office for many years. This installation and operation manual contains complete instructions for installing and operating your fan. Page 2 www.CasablancaFanCo.com What to Expect with Your Installation 1.888.227.2178 Read and Save These Instructions If you are unfamiliar with wiring, use a qualified electrician. This product conforms to UL Standard 507. Use wood screws Use machine screws included when securing provided with outlet to support structure with box when securing to approved electrical outlet existing ceiling fan rated box. Make sure in support structure to aid it is securely installed in securing ceiling plate and is acceptable for fan with hardware found in support of 31. Page 5 Hanging the Fan Unlock the canopy cover from the canopy ring tabs to loosen the canopy ring and lower it down to the fan body as shown. www.CasablancaFanCo.com DO NOT PICK THE FAN UP BY THE WIRES. Page 7 Wall Control www.CasablancaFanCo.com Screw CutOut 1.888.<http://www.firetac.com.au/userfiles/bounce-pro-14-trampoline-with-enclosure-manual.xml>

- **casablanca isotope fan manual, casablanca isotope ceiling fan manual.**

227.2178 Drywall Drill Holes Before Drywall Anchors Template Painter's Tape Cover Plate Template Template After 1. Tape the provided wall control template with painter's tape at the desired installation area. 2. Drill holes inside the four corners of the template. Note Make sure the wall control template is level before proceeding to the next step. 1. Page 8 Canopy www.CasablancaFanCo.com Canopy Screw Partially install two of the canopy screws, found in the hardware bag, into screw holes on opposite corners of the ceiling plate as shown. Choose the two screw holes that are aligned with the hanging slots in the fan body. 1.888.227.2178 Hanging Slot Using both hands, lift the fan body from the hook and align the hanging slots on both sides of the fan body with the two partially installed canopy screws. Page 9 Canopy continued www.CasablancaFanCo.com Canopy Tab Holders Canopy Ring Tabs Before going to the next step, locate the two sets of canopy ring tabs that are on the top edge of the canopy and the two sets of canopy tab holders found at the top of the fan body near the ceiling. To install the canopy ring, lift the canopy, then rotate clockwise until the tabs are held in place by the tab holders, locking the canopy ring into place. Page 10 Blades Slide a blade into a slot located on the blade ring. Note The blades will only fit properly over the screws holes one way. If the holes do not line up, remove the blade and turn it over. www.CasablancaFanCo.com Install the blade using three blade screws and washers, found in the hardware bag. DONE! Notch Install a halogen bulb into each light socket. When necessary, replace with bulbs of the same type and wattage. Align the notches in the globe assembly with the tabs on the light kit. When installing a halogen bulb, carefully cut off the end of the plastic sleeve packaging and hold the bulb by the plastic sleeve to screw it into the socket. Page

12 Operation www.CasablancaFanCo.com er w o nP Battery Battery Holder
1.888.227.<http://www.FlashPointIP.com/fckupload/bound-lotus-manual-pdf.xml>

2178 r Tu ON Battery Door The remote transmitter is already paired to the receiver and ready to use. Before operating the wall control, press on the battery door to eject it. Unscrew the battery holder. Reinstall the battery holder and reinsert the battery door into the wall control. Page 13 Operation continued www.CasablancaFanCo.com Reverse Button Fan Speed Low Fan Speed a The SafeExit Program gives you about thirty seconds of light when you turn the lights off to exit the room before the lights go out. Changing the bulbs carefully remove the globe assembly by lifting and rotating clockwise. Replace with bulbs of the same type and wattage. Cleaning products may damage the finishes. Page 16 Troubleshooting continued www.CasablancaFanCo.com Installing Multiple Fans with Independently Operating Remote Controls 1.888.227.2178 Installing One Fan Operating on Multiple Remote Controls To install multiple fans with independently operating remote controls, there is no need to perform any pairing procedures. Simply install each receiver into a fan and use the appropriate transmitter to operate each fan. Safety and the proper operation of your Casablanca fan both require a thorough knowledge of the product and Manual completely and carefully. Retain this manual and other included documentation for future reference. Caution To avoid possible electrical shock, make certain that electricity is turned off at the circuit breaker Make sure all parts are included in the box If there are missing or broken parts. Call 18882272178 Monday through Friday, 7 a.m. to 4 p.m. PST. Your request will be handled immediately. Replacement Proper Parts Handling. Do not remove lightbulbs from their packaging until you are Before discarding packaging materials, be certain that all parts Use a clean, dry paintbrush to remove small Styrofoam pieces Do not brush Styrofoam into wiring cavities.

The blades in each pack are matched for equal weight to assure If more than one fan is being installed, Always turn power to the ceiling fan OFF before replacing Never insert anything into the path of the fan blades while Never install a fan over a pool or spa. Never operate a fan that has been damaged in any way. Install the fan according to the instructions in If the fan does not work. Refer to the Troubleshooting Tips in this Owner's Manual. Call Technical Support at 18882272178. Contact your local Authorized Service Center. Our Web site at www.casablancafanco.com contains additional Authorized Dealer or Service Centers. Please do not return When cleaning, painting, or working near your fan, be cautious These numbers are found on Motor Identification Plate Model Number. Parts Guide. Description. Picture not to scale. Quantity Before You Start. Installation is to be in accordance with the National Electrical Code. If you are unfamiliar with the wiring codes, you should use a qualified The outlet box must be UL Listed for If it is not, a new box must be installed. When installing the canopy, Unpacking. Before assembling and installing your ceiling fan, remove all parts from the shipping cartons and check them Before discarding packaging materials, be certain that all parts have For best performance and for your warranty to be valid, Safe Use If more than one fan Fuse Box Circuit Breaker If parts are missing or Always turn the Casablanca dealer. Dimensions indicated are the minimum Before mounting your Casablanca fan, read the following helpful recommendations. The location of the fan, air Location. Ceiling fans have practical uses in almost every room in your home. We suggest Fan Size Getting Started. Installing a New Ceiling Fixture Outlet Box. Using Existing Ceiling Fixture Outlet Box. If you do not have an existing fixture located where After turning the power OFF at its source either the Check the ceiling fixture outlet Mounting." If it is not, a new box must be installed. Warning!

To reduce the risk of fire, electrical shock, Note The weight of this fan is 28 pounds. Ceiling Mounting PLATE Installation. Ceiling Hardware not to scale. Wire Nuts 3. Phillips. Screwdriver. Ceiling Mounting Plate. Washers 2. Note After removing the old fixture, check the outlet If not, a 2 x 4 stud must be Step 1a. Carefully feed the ceiling wires through Ensure that the outlet box wires are not pinched by Screws Ceiling Hardware not to scale. Fan Mounting Screws 4. Fan Body. Step 2a. Unlock

the canopy cover from the canopyStep 2b. Remove the fan mounting screws from theYou will use these later.Step 2d. Use the hanging hole on the body of the fanSecure withSecure withSecure with wire nut. Step 2f. After making the wire connections, the wiresSlide the twoLock the CANOPY RING. TABS and the CANOPY TAB HOLDERS by rotatingBlade Hardware not to scale. Blades 5. Blade Screws and. Washers 16. Blade Installation. Step 3a. Slide the end of the blade with the threeUsing three blade screwsTighten securely by hand only. Repeat until all fiveHardware not to scale. Glass ShadeHalogen Bulbs 2. Install Halogen Bulbs. Step 4. Screw the two bulbs into the light fixture as. IMPORTANT! When installing a halogenNOTE When replacing the bulbs, be sure to use onlyGlass InstallationStep 5b. Carefully lift the glass globe up inside theRotate the shade in aW74 Control Installation. W74 Wall control PreparationCover Plate. Switch. Mounting. Screws 2. Wall Plate. Screws 2W74 Wall Control Preparation. Circuit BreakerFuse BoxWarning! To avoid possible electrical shock,CAUTION! NOT turning the power OFF at the circuit breaker or fuseInstalling the W74 Wall Control. NOTE W74 Wall Control should only be installed on Casablancas DirectTouch™ Fans. The wall control installs in the same manner as an ordinary light switch, using an existing wall box andDirectTouch™ fan for example, dimmer, or fanSingle W74 InstallationBlue. White. RedWHITE STRIP wire on the W74 wall control.

Secure thisSecure thisFigure 1NOTE The RED wire is not used in this application. DO NOT remove the crimped cap from the wire.Figure 2To control the fan and lights from two locations a threewayIf you are installing other DirectTouch™ 3 fans within your home you may need to reset the dipPlease review the section onEnsure power is turned OFF at the breaker or fuse panel before starting installation.Connect this wire to. W74 control. Secure this splice with a wireDirect TouchSecure the splice with a wire nut.Note Cut andSecure the splice with a wire nut.W74 Operation. Operation Power. TheAlways turn theTheOperation Speed Control. There are five individual speed settings for the fan. Each speed isTo select the desired fan speed. Press the number on the controller corresponding to the speedNote It is normal for the fan to startOperation Reversing Airflow. The direction of airflow can be changed from downward to upwardTo reverse the airflowTo turn the lights off and on, press and release theDown Light. Note With CFL mode active, the lights will not dim. To dim the down light, Press and hold theThe light will come on at the last brightness setting and increase in brightnessOperation CFL Mode. Note The control with this fan has been shipped with CFL mode active. Your fan has the ability to disable the dimming feature to allow the use of CFL bulbs. To activate CFL modeThe fans lights will go to 100%To cancel CFL modeCaution CFL bulbs will notChanging Frequency Setting. You will only have to change the dip switch settings in theNOTE DO NOT set dip switch setting in the remoteAll fans leave the factory set toDirect TouchWall Control press and hold both the "1" andThe Fan and Lights willAutomatic Demonstration Program. Programmed into every DirectTouch fan is an Automatic Demonstration. Program. It can be used to fully demonstrate and test the operation of theTo enter the demonstration programThis will clear theA multitone signal will verify the start of the test program.

The fan andThe complete cycle lasts slightly over one minute. It will continue to repeatThe SafeExit Program gives you about thirty seconds of light when you turn theTo enter the SafeExit ProgramSafeExit. When a light button is pressed, an audio tone and series of lights blinking will indicate the programTo activate the LightMinder ProgramLightMinderAfter thirtyIn CFL Mode, the lights will not dim, but shutTo operate the HomeSafe ProgramA series of tones will be heard indicating the command has beenNote This program overrides all manual control of lights and fan.OFF 2 hours. This seven hour pattern will repeat continuously so that aButton OFF for five. The FanMinder feature will add to your comfort when used in the bedroom. The programA timer is now initiated and the fanThe fan will not, however, descendThe fan will again reduce one speed for each 2 hour interval.Troubleshooting Tips. Please refer to this troubleshooting guide before requesting service or contacting your dealer for assistance. Fan will not start. Check all wire connections. Make sure the power is turned off during this inspection. Check all connections. Replace the fan receiver.

Fan wobbles or shakes excessively. Make sure the hanger bracket isMake sure all the screws are securelyFan is noisy during operation. This is normalMake sure the wire nuts inside the canopyTighten as necessary.Fan does not run on low speed. Light is too dimRelease the button when the desired luminosity is reached. This device complies with RSS210 of Industry Canada. Operation is subject to the following two conditions 1 thisOperation is subject to the following two conditions 1 thisThis equipment generates, uses and can radiate radio frequency energy and, if not installedIf this equipment does causeConsult the dealer or. Note Any changes or modifications to the transmitter or receiver notFan FinishesBlades.

Occasionally, a light coat of furniture polish may beAn antistatic agent may be used, but never use abrasive cleaning agentsDo not insert foreign objects in between rotating fan blades. No Need for Lubrication. The precision motor at the heart of your Casablanca fan features sealed bearings that are lubricatedChanging Lightbulbs. For questions or to locate the nearest Casablanca Authorized Service Center,This device complies with RSS210 of Industry Canada. Operation is subject to the following two conditions 1 this device may not cause interference, andOperation is subject to the following two conditions 1 this device may not cause harmful interference, and 2 this device must accept any interference received, including interference that may cause undesired operation.These limits areThis equipment generates, uses and can radiate radioHowever thereIf this equipment does cause harmful interference to radio or television reception,Note Any changes orDimensions. Dimension BWeightProduct Specifications. Motor. Blade Span. Blade Pitch. No. of Blades. Technology. LightbulbsAirflowNo lighting wattage is included. Using the online preview, you can quickly view the contents and go to the page where you will find the solution to your problem with Casablanca Fan Company ISOTOPE C30G45L. To start viewing the user manual Casablanca Fan Company ISOTOPE C30G45L on full screen, use the button Fullscreen. However, if you do not want to take up too much of your disk space, you can always download it in the future from ManualsBase. The option to print the manual has also been provided, and you can use it by clicking the link above Print the manual. You do not have to print the entire manual Casablanca Fan Company ISOTOPE C30G45L but the selected pages only. paper. If you want to quickly view the content of pages found on the following pages of the manual, you can use them. The red wire is for a light kit. You may have a second switch on the wall to control this.

Usually, the ceiling fan will have a red with a green tracer wire that goes with the red wire. If not just cap the red wire off and dont use it. Casablanca has great motors but touchy boards. I ordered mine from www.fanmanlighting.com and installed it myself, it wasnt too difficult. Hope this helpsThe lights should start at a dim setting and gradually get brighter and brighter. When they get to a setting you desire let go of the light button. To reduce the brightness of the light you must first turn the light off, and then press the light button and hold it in as described above. If the light is off, and you press the light button quickly to turn it on, the light will go back to the previous setting. So if you last had the light on the high setting, it will go back to the high setting, if you had the light at a lower setting it will turn back on to the lower setting. Keep in mind you can increase the light intensity at any time by pressing and holding the light button, but to decrease the light intensity, you must first turn the light off, and start over by pressing and holding in the light button.The fan should start at a slower speed and get faster and faster. When the fan is at the speed you desire, let go of the fan button. To slow down the fan speed you must first turn the fan speeds off by pressing and releasing the fan button. If the fan speeds are off, and you press the fan button quickly to turn it on, the fan will go back to the previous setting. So if you last had the fan at the highest setting, it will go back to the high setting, if you had the fan at a lower setting it will turn back on to the lower setting. Keep in mind you can increase the fan speed at any time by pressing and holding the fan button, but to decrease the fan speed you must first turn the fan off, and start over by pressing and holding in the fan button. To reverse it, turn it on a low speed. Then, turn it off and on, then off and on again, quickly.

You should hear a series of beeps, and the blades will slow down and then reverse. Login to post Vintage CASABLANCA Model 1928C Floor Fan 120vac 60HZ. Is it possible to install remote control after the fact? Evidently there is a type of clip that fits under the. They sell replacement W505 parts at Fan Man Lighting. Hope this helps. The chain sequence order is low, off, low, and off. What could the problem be. It has been doing this since I moved in last week. Or it could be your capacitor. In addition, there is no telling how long the replacement receiver would last. To purchase a 4 speed wire harness for this Hunter fan, they can be ordered from Casablanca. Casablanca you say Yes! Casablanca is a subsidiary of Hunter Fans. This 4 speed wire harness, part number K016501H01, is standard in many Hunter and Casablanca fans. Hopefully this will help someone looking for a lowcost solution to replacing the fan. Link below Both fan and light are controlled by a Versa Touch 2 remote control. The fan controls work, but light turns on, then dims and turns off. Cant make it stay on. Scrapping the intellitouch board and wall switch. Any suggestions on what to use Can I use LED bulbs with it. I was told they would burn it out. Answer questions, earn points and help others. Casa Vieja ceiling fans Casa Vieja Hillhurst Hugger Ceiling Fan Casa Vieja ceiling fans Casa Vieja Spyder Bronze Walnut Tapered Blades Hugger. Casa Vieja ceiling fans Casa Elite OilRubbed Bronze LED Hugger Ceiling Fan. MinkaAire F519LMG Concept II LED Mahogany Lynstead 52in Specialty Bronze Flush Mount Indoor. Hunter CC5C10C80 Low Profile Ceiling Fan Clear. Hunter 99122 Universal 3 Speed Ceiling Fan with. PossiniEuro Design 60in Ozone LED Ceiling Fan with. How to Install a Hugger Ceiling Fan. Contact us. Litex ceiling Fans Litex UT56WW3M Utility Collection 56Inch Ceiling Fan. Litex ceiling Fans Litex EBLR44ABZ5C Balmoral Collection 44Inch Ceiling. Litex ceiling Fans Litex EWOD52WW5C All Weather Collection Indoor.

Litex ceiling Fans Litex WC42WW5C3F Wyman Collection 42Inch Ceiling Fan Litex ceiling Fans Litex DCF52MWW5 Decorators Choice Ceiling Fan Litex ceiling Fans Litex CSU44HRB5C1 Crosley Collection 44Inch Ceiling. Litex ceiling Fans Litex EUBW48BC4C1 Wakefield Collection 48Inch. Litex ceiling Fans Litex EUBW48WW4C1 Wakefield Collection 48Inch. Litex ceiling Fans Litex EMLV36MWW4LK1 Maksim Collection 36Inch Ceiling. Load more Categories Blog 4 Casa Compass MinkaAire F519LMG Concept II LED Mahogany Lynstead 52in Specialty Bronze Flush Mount Indoor. You must have JavaScript enabled in your browser to utilize the functionality of this website. You can prepare for the heat and humidity by installing a new ceiling fan from the Casablanca Isotope Collection. Hugger or lowprofile ceiling fans are installed directly onto the ceiling, allowing the fan blades to hang at least 7 feet above the floor as required by the National Electric Code. These ceiling fans are intended for spaces ranging in size from 100 square feet to 150 square feet such a guest bedroom, home office, or study. The integrated light fixture provides functional lighting while reading or watching television. The 44inch brushed nickel Isotope fan complements a contemporary or modern home living room. Trust us, you do not want to be reaching for the installation directions while standing on a ladder with a 36 lb. Turn the power off the circuit breaker box, and if you are extra cautious, you can also turn off the power switch so there is no risk of anyone being zapped. Use the steps below as a guide. Screw in the provided halogen light bulbs into the light sockets and attach the glass shade. Purchasing a new Casablanca Isotope fan is an easy way to remain comfortable during the upcoming summer season while conserving energy and money. Page Count 69 Quality in Every Detail. Comprehensive Warranty. Energy Efficient. Malibu Star. Antion. Trident. Vita. Modena II. Star.

Starlet Four Seasons III Hugger Alessandria New Orleans Centennial. Vicente Panama DC. Panama Energy Star. Four Seasons III. Four Seasons III Gallery. Concentra Holliston DC. Academy. Academy Gallery. Whitman. Bresica Pullchain. Bresica Control. Bel Air. Bel Air Halo. Colorado. Capistrano. Metropolitan. Veneto Stealth. Stealth DC. Tercera Mission. Marrakesh. La Fleur. Key Largo II Heritage. Charthouse. Atria. Wailea. Lanai. Four Seasons III Outsider. Estrada. Continental. Utopian Light Fixtures and Glass. Controls. Hanging System Reference Charts Alphabetical Casablanca's latest introductions include a variety of new ceiling fan collections

in an array of timeless styles that Every detail is given meticulous attention—from design to components and manufacturing to ease of installation Casablanca's These motors deliver exceptional Strikes the perfect balance between Designed and engineered for specific Casablanca offers prepaid freight to make it easy for you to send the fan to the Casablanca Factory Service Center It will be Casablanca's Comprehensive Warranty, the most extensive in the ceiling fan industry, also includes With this extensive coverage, you can enjoy the beauty, quality, and performance of your. Casablanca products for decades to come. ENERGY STAR logo throughout this catalog Specific fan models are equipped with highly efficient compact For your convenience, we've include this informational energy chart on every ceiling fan page. Airflow. X,XXX cfm. Electricity Use. XX w. Airflow Efficiency Candelier Dark Walnut blades. Add the warm, intimate ambience of candlelight to a spacious room with the Candelier II ceiling fan. The fixture's ingenious design features W75DL optional. Fourspeed wall control with Independent uplight and Fourspeed remote control Independent uplight and Electricity Use BB21WD Dark Walnut blades. K164A4 fitter with G911 Teck Antique side glass Reclaimed Antique blades B103 Walnut blades.

The Victorian series marries classic turn of the century appeal with contemporary The richness of the ornate design is enhanced with badgestyle blade holders. Optimum performance is. With a rich finish and exquisite detailing that echo the medallions and paneling of neoclassical architecture, the Alessandria ceiling fan is a The fan's carved featherwood blades and fully dimmable lighting with Scavo glass add Old World warmth, W65 optional. Sixspeed wall control with Sixspeed remote control with. LCD display screen, fullrange Includes wall plate bracket. W505 included. Threespeed handheld remote with fullrange light dimming, Electricity Use Mahogany blades and optional Shown without Four Light CFL Fixture Available finishes. Burnished Brass 69. In the electric era of the 1800s, fans were characterized by spiral ceiling rods and centrally placed blade holders. The 19th Century fan The intricate, ornate patterns recall decorative W65 optional. LCD display screen, fullrange Includes wall plate bracket. B522 Antique Oak blades. Northern Sienna motor Shown without decorative But it's the fan's performance that The New Orleans Centennial is a faithful replica of a 100 year old ceiling fan discovered in the French Quarter of New Orleans. The elaborate cast motor housing and lacy, scroll brackets recreate the wonderful ambience of a Southern parlor in a time gone by. Pullchain DW52 optional. Threespeed remote control Includes wall plate bracket. W74DL included. W75DL optional. Fourspeed wall control with Independent uplight and Fourspeed remote control Independent uplight and Electricity Use Espresso blades. Onyx Bengal motor with reversible Cottage White blades. Brushed Cocoa motor. Distressed Walnut blades. Cottage White motor with. Cottage White blades and. Snowflake Linen glass. Basque Black motor with. Espresso blades and. Champagne Scavo glass Painstakingly meticulous columns grace the motor housing to create a sophisticated, timeless look.

A quality great New Universal Control System The perfect complement to any room. Comes with remote control. Electricity Use New Universal Control New Universal Remote Fourspeed wall control Fourspeed remote control Electricity Use Espresso blades. Cottage White blades Basque Black motor with. Champagne Scavo glass New Universal Control System Fourspeed remote control and New light kits coming in 2013 Complete with our ornate threelight fixture—one of Casablanca's finest. Electricity Use B202 Mahogany blades. Snow White motor Matte Snow White blades. Bright Brass motor Walnut blades. Weathered Copper motor Relic blades. Antique Brass motor Walnut blades. The first fivebladed fan in the industry, the Panama is an American classic. The traditional styling works with virtually any setting. It's also one of the quietest ceiling fans available. Custom design your Panama by adding your choice of blades, light fixtures and Walnut blades. Architectural White Architectural White blades. Oil Rubbed Bronze motor Dark Cherry blades. Matte Black motor Matte Black blades Pullchain G Includes wall plate bracket. W85 included. W65 optional. LCD display screen, fullrange Includes wall plate bracket. Electricity Use Airflow Efficiency. Classic White motor Classic White blades. Brushed Cocoa motor Dark Walnut blades. Airflow Electricity Use Airflow

EfficiencyB561 Matte Snow White blades. Brushed Cocoa motor with reversibleMatte Snow White blades. Brushed Nickel motor. Burnt Walnut blades. Brushed Cocoa motorWalnut blades. Brushed Nickel motorDark Walnut blades. A new spin on the original fivebladed fan, the Panama DC features a larger, 54inch span and our extremely powerful DC motor. A new, true classic. It moves air up to 20 percent more efficiently, which helps you conserve energy, save money and protect the environment.